





# ADVANCED TECHNOLOGY AND ITALIAN DESIGN IN A RANGE OF SPECIALISED SOLUTIONS GUARANTEED BY AN INTERNATIONAL BRAND,

Founded in 1956, Comelit Group SpA is an industrial company operating on a worldwide scale and specialising in the design and manufacture of video entry, video surveillance, anti-intrusion, home automation, access control systems and antifire.

The company has a strong international vocation thanks to its close ties with the area in which it was created and in which its headquarters are still located today.

Comelit exports to more than 70 countries in the world and, in addition to the Italian headquarters, it consists of 15 branches located in the strategic areas in which it operates: from Europe to the Far East, from the United States to the Middle East. An articulated commercial structure, which integrates a common know-how with the knowledge of the specific needs of each market.





# FOCUSING ON MANKIND AND HIS VALUES.

Comelit has always placed mankind at the centre of its vision. This humanist approach is evident in the company's focus on its employees, in the organisation of its working environment, in the ethics governing its relationships with suppliers and distributors, and in the partnership it fosters with installers. Every Comelit product expresses this vision, constructed on the basis of enduring values.

# CONSTANT INNOVATION, FRIENDLY TECHNOLOGY.

Constantly looking at the future is Comelit's mission. Innovation through continuous investments in men and technology, is expressed in the design of new solutions, in the name of maximum simplicity and functionality, able to contribute to a better quality of everyday life.

# DESIGN: STYLE, PASSION, ART.

Besides placing technology at the service of mankind, Comelit is also a byword for design. Its unique and original style combines the most hi-tech materials with simple lines, clean shapes and cutting-edge colours. Every Comelit product therefore conveys a new concept for living in a space, in harmony with modern architectural trends.



DESIGN PLUS

Merlion Awards














4



① ① ②



## COMELIT APP

The Comelit App allows your video entry systems to be managed remotely by smartphones and/or tablets connected to 3G networks or above.

The Comelit APP is available free of charge for iOS and Android devices.

#### ANSWER DOOR CALLS

You can answer audio or audio / video calls from a smartphone or tablet locally or remotely (with 3G or higher network).

#### VIDEO MEMORY

The Video Memory function allows to record and view videos from external units and CCTV cameras (up to 10 seconds).

#### VIEW AND MANAGE CAMERAS

You can view (live) CCTV cameras and images from the entrance panels.

### ACTUATOR ACTIVATION AND MANAGEMENT

This function is used to control actuators to control lights, gates, barriers, etc.



1 2 3 4 III M

#### FACE RECOGNITION

Just a call from the external unit and a few seconds. You're at the door, you ring the bell and the connected monitor sends a series of images to the Comelit cloud service, inside which a familiar face is detected: yours. The monitor sounds and warns that a known person has arrived. The phone rings, a notification arrives, it says you have arrived. But this is not enough. If you want, the monitor will also open the gate automatically, and why not? turn on the driveway light.




SCAN THE QR CODE AND WATCH THE VIDEO


6

















- Full-duplex hands-free door entry monitor with 7" touch-screen (Exc 6801W and 6801W/BM) colour display
   Commands with "Sensitive touch" technology, LED backlighting and
- "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 223x124x12 mm
- Contrast, brightness and ringtone volume adjustment and privacy control

6801W	MAXI SERIES 7" MONITOR. SBTOP SYSTEM
EX-9000H	MAXI SERIES 7" MONITOR. SBTOP SYSTEM - KIT EXPANSION
6802W	MAXI SERIES 7" MONITOR. VIP SYSTEM
6802B	MAXI VIP MONITOR, BLACK - VIP SYSTEM
6842W	MONITOR MAXI 7" WI-FI VIP - VIP SYSTEM
6813W	7" MAXI MONITOR WITH ANDROID, WHITE. VIP



INTERNAL UNITS


GERMAN DESIGN AWARD SPECIAL 2017













- Full-duplex hands-free door entry monitor with 4.3" 16/9 touch-screen (ViP) colour display
- Commands with "Sensitive touch" technology, LED backlighting and "Swipe" technology
- Semi flush-mounted, wall-mounted and desk base installation
- Version for SBTOP 2-wire and digital ViP system
- Dimensions: 142x145.5x12 mm
- Contrast, brightness and ringtone volume adjustment and privacy control

6601W	ICONA SERIES HANDS-FREE COLOUR MONITOR. SBTOP SYSTEM
6602W	ICONA SERIES HANDS-FREE COLOUR MONITOR. VIP SYSTEM. H264
6602B	ICONA VIP MONITOR, BLACK













- Full-duplex handset door entry monitor with 4.3" 16/9 B/W or colour
- Commands with "Sensitive touch" technology and LED backlighting
   Wall-mounted and desk base installation
- Version for SBTOP 2-wire system
- Dimensions: 175x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available in White or Black

6700W	B/W MINI MONITOR WITH HANDSET. WHITE. SBTOP SYSTEM
6701W	MINI MONITOR WITH HANDSET, WHITE. SBTOP SYSTEM
6701B	MINI MONITOR WITH HANDSET. BLACK. SBTOP SYSTEM
6702W	MINI MONITOR WITH HANDSET AND BM. WHITE. VIP

#### INTERNAL UNITS








- Full-duplex hands-free door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted installation
- Version for SBTOP 2-wire system
- Dimensions: 115x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control

# Mini Handsfree



# Mini Handsfree Wi-Fi







#### Emma is here!

Alexa, apen the gate!



- Full-duplex hands-free door entry monitor with 4.3" 16/9 colour display
- Commands with "Sensitive touch" technology and LED backlighting
- Wall-mounted installation
- Version for SBTOP 2-wire
- Dimensions: 115x160x22 mm
- Contrast, brightness and ringtone volume adjustment and privacy control
- Available also with Boucle Magnetique
- Doors and gates can be ipened from the Comelit App
- Face recognition function
- Compatible with smart speakers (Google Home and Amazon Alexa)







# Mini Audio

- Door-entry phone with handset
- Wall-mounted and desk base installation
- Version for SBTOP S1, SBTOP S2, 4+n
- Dimensions: 103x190x17 mm
- Ringtone volume adjustment and privacy control
- Available in White with 2 or 5 buttons

2702W	DOOR-ENTRY PHONE W/ 2 BUTTONS FOR TRAD. SYSTEM. MINI SERIES
2703U	UNIVERSAL DOOR-ENTRY PHONE WITH 2 BUTTONS. MINI SERIES
2708W/A	DOOR-ENTRY PHONE W/ 2 BTNS FOR SIMPLEBUS AUDIO. MINI SER.
2738W/A	DOOR-ENTRY PHONE W/ 2 BTNS FOR SIMPLEBUS TOP A/V. MINI SER.
2719W	DOOR-ENTRY PHONE W/ 5 BTNS FOR SIMPLEBUS TOP A/V. MINI SER.















- Audio and audio/video external unit
- In AISI 316 stainless steel
- 8" backlit touch-screen colour display
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Dimensions: 342x182x4 mm
- Attractive and intuitive fully graphic interface
- IK08 protection rating
- Voice messages and visual indications for hearing aid users via pictograms on the display
- 4 different call modes (name search, code, alphabetic entry button and button with customisable graphics)
- Integrated RFID reader

3453S	STAINLESS STEEL SBC 316 TOUCH A/V ENTRANCE PANEL
3454HD	316 AUDIO VIDEO ENT. PAN., TOUCH H264 - VIP

Merlion








- Audio and audio/video external unit
- In AISI 316 stainless steel
- Backlit 128x64 pixel graphic display
- Alphanumeric keypad featuring exclusive "Sensitive Touch" technology
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Dimensions: 342x182x4 mm
- Braille character keys, voice messages and visual indications for hearing aid users via pictograms on the display
- IK08 protection rating
- Integrated RFID reader
- Night-time lighting with accessory (rain shield)





3451AS	STAINLESS STEEL SBC DIG. 316 SENSE AUDIO ONLY ENT.PAN.
3451S	STAINLESS STEEL SBC DIGITAL 316 SENSE A/V ENT.PAN.
3452HD	316 AUDIO VIDEO ENT. PAN., SENSE H264 - VIP


3006 Sense







# Switch







- Audio and audio/video entrance panel in AISI 316 steel.
- Brushed finish.
- Available in versions with 1 to 33 buttons.
- Smart call buttons (3061M 3061S).
- Protection rating IK08
- Voice messages and red LED light indications.
   Entrance panel to be finished with audio or audio/video module depending on wiring.
- Pre-connected Smart buttons with nameplates that can be replaced even after the entrance panel has been installed.
- Nameplates with white LED backlighting.
- Sturdy and extremely durable.Flush- or surface-mounted external unit.
- 2.5 mm thick plate.

## Ultra











- Modular external panel Audio and Audio/Video
- Die-cast aluminium frames coated using cataphoresis
- Available in surface-mounted (35mm) and in flush-mounted (10mm
- 2-wire and ViP systems
- Protection rating IP65 and IK08
- Call module with facility for single (4 calls) and double (8 calls) buttons
   Buttons are available in 3 versions: Plastic, Metal and Full Metal.
- Button backlighting with independent white LED regulation
- Camera LED and backlighting controlled by the twilight sensor
- Wide-angle camera (2 Wire: H120° x V90°, VIP: H160° x V100°)
- 3 indicator LEDs for: call sent (green) / system busy (red), lock-release activated, audio enabled
- Button address programming with Smart mode.
- Available in button, digital and touch module versions.
- Touch modules and digital directory equipped with Bluetooth connection

L BALMA G GIORGI















- Ultra Touch has a 5-inch color touchscreen with easy-to-use graphics. It allows almost unlimited customizations, such as inserting the company logo and setting a welcome screen. It is equipped with an RFID proximity reader to open doors without any key
- Ultra in the Digital Directory version is equipped with a 3.5-inch color display and backlit mechanical buttons. You can customize the buttons to make your search faster or to categorize terms
- The Digital Directory module works both stand-alone and in conjunction with the code keypad, with which the desired destination address can be called and the door can be opened with a numeric code









- Audio/video external unit
- Die-cast aluminium cover
- Mechanical call buttons
- Surface-mounted installation
- Dimensions 95x195x23 mm.

- Differisions 95x195x23 mm.
   Colour video camera with wide viewing angle
   IK08 protection rating
   4 indicator LEDs for call sent, door open, audio active, system busy
   White LED for illumination
   Nameplate holder in versions with 1/2/4 buttons
   High performance loudspeaker

EX-DSME	QUADRA ENTRANCE PANEL W/ BUTTONS. 2-WIRE
4793MA	ALUMINIUM FACEPLATE FOR QUADRA ENTRANCE PANEL
4793MB	BLACK FACEPLATE FOR QUADRA ENTRANCE PANEL
4793MC	CORTEN FACEPLATE FOR QUADRA ENTRANCE PANEL





- Modules made using double 2.5 mm stainless steel plate
- Flush- and surface-mounted installation
- Available for SBTOP 2-wire and digital ViP system
- Stainless steel micro stroke buttons
- Analogue or digital version
- IK10 protection rating











- Audio and audio/video external unit
- Distinguished by the application of high-quality materials such as brass, 3 mm thick watchmaking brass plates
- Flush-mounted installation
- Available for SBTOP and digital ViP system
- Available in versions with 1 to 48 buttons
- Also available in anthracite and bronzed finishes
- PVD treatment



3001/RI3058/RI	AUDIO EXTERNAL UNIT
3201/RI3258/RI	AUDIO/VIDEO EXTERNAL UNIT
3001/RI/A3058/RI/A	AUDIO ANTHRACITE EXTERNAL UNIT
3201/RI/A3258/RI/A	AUDIO/VIDEO ANTHRACITE EXTERNAL UNIT
3001/RI/B3058/RI/B	AUDIO BRONZED EXTERNAL UNIT
3201/RI/B3258/RI/B	AUDIO/VIDEO BRONZED EXTERNAL UNIT

FOR FURTHER INFORMATION PLEASE CONTACT COMELIT SALES



EXTERNAL UNITS

Matter Rize Paola Amato

Adelina Serrano

Agata Janson Kenneth Visser

Ben Morra Kelly Baker

Maura Exposito





- Audio entrance panel in die-cast aluminium.
- Wall-mounted entrance panel.
- Protection rating IK08.
- Entrance panel certified as IP54.
- Dimensions 9.85x17.1 cm with a thickness of just 2.85 cm.
- Long-lasting sturdiness and durability.
- Available in a 2-wire version with 1 to 72 buttons (1 audio module + 4 button modules).
- Available in a 5-wire version with 1 to 4 buttons (1 audio module).
- Call buttons with simplified programming.
- Nameplates with white LED backlighting (2-wire digital version).Nameplates with blue LED backlighting (5-wire version).
- Buttons with nameplates that can be replaced from the front.


CA2100P	WALL-MOUNTED CIAO ENTRANCE PANEL FOR 1/2/4/8 BUTT. S2
CA2200P	WALL-MOUNTED CIAO MODULE FOR 2/4/8/16 BUTT. S2
CA5100P	WALL-MOUNTED CIAO ENTRANCE PANEL FOR 1/2/4 BUTT. 4+N

# Emergency





- Audio and audio/video external unit
- Anti-vandal screws
- AISI 316 stainless steel 2.5 mm thick
- Indication and information written in standard text & braille
- The button can be used to call a switchboard, a mobile device or a direct number
- Call Status Indicator Light
- Flush- and surface-mounted installation



#### SMART EXTERNAL UNITS



- HD live Streaming
- Answer anywhere with your smartphone
- Motion Detection
- Door release capabilty
- Surface mounted
- Dimensions 135x 46x32 mm
- RGB LEDs
- High quality audio
- Interchangeable coloured covers



KITVIST0	WI-FI VISTO KIT
KITVISTO/C	WI-FI VISTO KIT WITH POWER SUPPLY AND WIRELESS CHIME
VS8111	VISTO WI-FI EXTERNAL UNIT. VIP SYSTEM*
VS8101	VISTO ETHERNET EXTERNAL UNIT. VIP SYSTEM*

\*for integration in a VIP intercom system

Visto









## HFX-7000M

NOTHING MORE, NOTHING LESS



#### **EXPANDABILITY: 4 Doors, 4 Monitors**

EX-DSQE door expansion
EX-7000H monitor expansion
1409 holds one CCTV Camera, does not take place of one doot station
1200UL power supply for 1409

- Kit comes with: EX-DSME, EX-7000H, 1209/4
- Door Station and Monitor come surface mount (Flush mount not available)
- Home Run, Daisy Chain up to 2 monitors only

**EXPANDABILITY: 4 Doors, 4 Monitors** 

Video input

6732A desk stand

■ Able to expand for up to 8 monitors by adding 1209/8 power supply

## HFX-900L

7" TOUCH SCREEN MONITOR



#### **EXPANDABILITY: 2 Doors, 8 Monitors**

EX-DS door expansion
EX-900H monitor expansion
EX-VIN holds one CCTV Camera, takes place of one doot station
EX-PHUB HUB for home run installations
CDSK9 desk stand

- Expandable up to 2 door and 8 inside station (video only)
- Ditto! Any 2 wires, door release built-in (N.O. dry contact, or 12V Dc 300mA)
- All-page intercom, daisy chain or home run, video input function
- Door comes surface mount only (flush not available)
- Monitor comes with both surface and flush mount or desk stand
- Can be ecpandrd with EX-700H

## HFX-7000MW

ENJOY YOUR FREEDOM!



## EX-DSQE Physical push button expansion, includes 1405 EX-7000HW Wi-Fi monitor expansion EX-7000H Regular monitor expansion 4792 rain shield



**J** alexa

- Kit comes with: EX-DSME, EX-7000HW, 1209/4
- Door Station and Monitor come surface mount (Flush mount not available)
- Smartphone not included
- Able to expand for up to 8 monitors by adding 1209/8 power supply

## HFX-700M

ENTRY LEVEL, GREAT VALUE!



#### **EXPANDABILITY: 2 Doors, 4 Monitors**

**EX-DS** door expansion

**EX-700H** monitor expansion

**EX-VIN** holds one CCTV Camera, takes place of one doot station

**EX-PHUB** HUB for home run installations

CDSK desk stand

- Expandable up to 2 door and 4 inside station (video only)
- 2 wires Any type of wire
- Door release built in (N.O. dry contact, or 12V Dc 200ma)
- All-page intercom
- Comes surface mount only (flush not available)
- Video input function

## HFX-9000M

TECHNOLOGY AND DESIGN IN 7"



#### **EXPANDABILITY: 4 Doors, 8 Monitors**

**EX-DSQE** door expansion **EX-9000H** monitor expansion

6812 desk stand

**1200UL** power supply for 1409


**1409** holds one CCTV Camera, **does not** take place of one doot station

- Kit comes with: EX-DSME, EX-9000H, 1209/8
- Door Station comes surface, Monitor comes surface and flush mounts
- Home run, daisy chain up to 2 monitors only
- Video input

4



The Multi-User Gateway is a revolutionary door entry solution which will change the way you think of Multi-tenant door entry access. It is time to finally step forward from antiquated telephone only door entry systems and be able to answer calls from the main door on your smartphone or tablet with full video communication with our Comelit App.





Comelit's strong international vocation originates from its close ties with the area in which it was created and in which its headquarters are still located today (Val Seriana, to be precise). Comelit exports to over 90 countries worldwide: this articulated sales structure integrates shared know-how with the awareness of specific requirements in each market.



#### **GLOBAL OFFICES AND BRANCHES**

Italy (headquarter)

France

Germany

Spain

Ireland Belgium

Netherlands

Great Britain

Greece United Arab Emirates

Russia Hong Kong

Republic of Singapore

Australia

Colombia

United States of America

#### **COMELIT IN NUMBERS**

#### 97

countries in which we have performed installations

20,000,000 door entry monitors installed

320,000 m<sup>2</sup>

the largest single door entry monitor system created (110 buildings, 11,250 apartments)





2. UK, Poole, Moriconium Quay

3. USA, NY, Manhattan, Sty town

4. Monaco. Tour Odeon

5. UK, London, Riverlight residences

6. Spain, La Coruna, Trebol Tower

7. Holland, Rotterdam, New Orleans Tower

8. UAE, Dubai, Palm Jumeirah

9. Qatar, Doha, Sidra Hospital

10. UAE, Abu Dhabi, Sun and Sky Towers Al Reem Island

11. Singapore, Costa Rhu

12. Malaysia, Kuala Lumpur, Kiaramas Danai



www.comelitgroup.com



