

Smart access control and door entry systems

Product Selection Guide























Easy to quote

- Build your system one door at a time
- A range of products to suit any site requirement
- Scalable system add doors when the budget is available



Easy to install

- Plug and play solutions that connect directly to the network
- Mix and match Net2 products

 they are all designed to work

 together seamlessly
- Clear instructions and colour coded wiring labels



Easy to work with

- Industry-leading technical support
- 5-year guarantee and three step returns policy
- Free software upgrades and
 no multiple licence fees



Rewards made simple.

Get rewarded for buying and installing Paxton products.

Scan your products, complete activities, and earn points.

The more points you earn, the higher you climb. From Paxton Partner to Platinum Partner, you'll unlock more fantastic benefits with every tier.

Learn how to earn: paxton.info/5390





Start earning points today with Paxton Rewards in the **Paxton Installer** app!

Scan the QR code to download now







Contents

5 **Networked Access Control**

Our networked access control system, Net2, is administered using one or more PCs and can be monitored and managed from a central location. Our door controllers come as IP, wireless or battery powered.

- Wired Controllers Net2 Plus 6
- Wireless Controllers Net2 PaxLock 8
- 9 Building Control - I/O Board
- Net2 Readers
- Net2 Tokens 14
- Net2 Software 16
- Accessories & Other Components
- 19 **Demonstration Products**

21 **Access Control & Video Management**

Our single platform solution combining access control and video management. Paxton 10 is an ideal solution to futureproof site security.

- 22 Paxton10
- 23 Integration
- 24 Cameras
- 26 Readers & Tokens
- 27 Software & Apps

28 **Video Intercom**

Our video intercom system, Entry, is an advanced one cable intercom system with built-in access control capabilities.

Wireless Door Handles 34

PaxLock Pro is compatible with Net2 and Paxton10, or works in Standalone mode. PaxLock is a wireless, electronic battery powered door handle.

- 35 PaxLock Pro
- 37 PaxLock Pro Components

38 **Standalone Access Control**

Our standalone access control is a non-networked system made up of readers or simple door controllers located at each door. Standalone systems are administered via the use of tokens or card packs.

- 40
- 43
- 45
- 48 Additional Information

Welcome

This Product Selection Guide is designed to help you to choose the right products to build up an access control system.

Paxton produce a variety of security solutions to suit different site requirements. Our one door philosophy means doors can be added as required or when budget becomes available.

What's new?

Paxton10 CORE & PRO Cameras

Our most powerful system, Paxton 10 is now suitable for more installations than ever before with the introduction of the CORF and PRO Series cameras. Two new series of Paxton 10 cameras to choose from, mix and match to tailor your own solution.



Great value CORE Series:

Mini Bullet, Mini Dome and Turret 4MP cameras with 64GB of in-built edge storage

High performance PRO Series:

Mini Bullet, Vari-focal Bullet and Turret 8MP, 4K cameras with a huge 256GB of edge storage

See page 24

PaxLock Catalogue Updates

Following recent updates to simplify our PaxLock Pro portfolio, you can now find all our PaxLock Pro products on page 34 of this Product Selection Guide. Every PaxLock Pro is now compatible with both Net2 and Paxton10, as well as working in standalone mode.

Please note: Net2 PaxLock is still available - see page 9.










- Simple intuitive software
- Range of features that move beyond basic access control
- A complete solution that encompasses wireless and door entry

Net2 plus **Wired Controller**

- A networked IP ready single door controller
- On-board TCP/IP connection allows direct connection to a network
- Can connect together with dedicated RS485 network





Net2 plus 1 door access control unit

BEST SELLER

Sales code 682-493-US





Net2 plus 1 door ACU in plastic housing

Sales code 682-528-US





Net2 plus in US Metal Enclosure with 12/24V PSU

BEST SELLER

Sales code 682-610-US





Net2 plus in US Metal Enclosure with PoE+ PSU

Sales code 682-630-US





Net2 plus in US Metal Enclosure with 12V or 24V PSU with trigger disconnect

Sales code 682-620-US



Net2 Plus is a suitable alternative to the Net2 Entry - Control Unit, when combined with any 802.3af or 802.3at (PoE+) compliant 3rd party PoE switch. We recommend the TP Link TL-SF1006P switch which has been thoroughly tested with the Entry system.











Net2 IP starter kit for 2 doors - Low Voltage

Sales code 682-930-US

Net2 Plus starter kit for 2 doors - PoE+ PSU

Sales code 682-920-US

Includes:

2 x Net2 plus controller, metal cabinet 2 x P50M readers

1 x Enrollment reader USB

10 x Keyfobs & 10 cards 1 x Net2 Pro software



Net2 Plus Single Door Expansion Kit - Low Voltage PSU

Sales code 682-960-US

Net2 Plus Single Door Expansion Kit - PoE+ PSU

Sales code 682-950-US


Includes:

1 x Net2 plus controller, metal cabinet 1 x Proximity reader - P50M

Net2 PaxLock Wireless Controller

- Networked access control system in a wireless door handle
- Ready to install with a C Keyway
- Integrates with Net2 access control
- Communicates using Net2Air technology







Net2 PaxLock US C Keyway - Galaxy

Sales code 921-130-US



Net2 PaxLock US C Keyway - Eclipse

Sales code 921-131-US






Net2 PaxLock US - Door installation jig

Sales code 921-200-US



Sales code 477-600-US













Eclipse handle

C Keyway core











Building Control - I/O Board

Networked Access Control



Building Control - I/O Board

When a valid fob is presented to the reader, the I/O board can be programmed to trigger the power to elevators, lighting, heating and electrical equipment.

The Net2 I/O board is a simple, yet powerful addition to the Net2 system. It can be wired alongside a Net2 door controller, to switch power on and off to electrical equipment to save money and energy. The Net2 I/O board can control power to elevators, lighting, heating, water and air-conditioning by using the Triggers and Actions application in the Net2 software. These actions can be programmed for a particular time, or in response to a specific Net2 event.

- Connect directly to a LAN/WAN only
- Enable integration with elevators, lighting, heating and more
- ▶ 4 inputs and 4 outputs on the Net2 I/O board



Please note, Net2 I/O boards work as part of the Net2 system. They are not door controllers.



Net2 I/O board

Sales code 489-710-US



Net2 I/O board in plastic housing



Sales code 385-710-US





Net2 I/O board with 2A PSU in plastic cabinet

Sales code 411-623-US



10

Networked Access Control

Net2 Readers Pre-Activated with Genuine HID Technology™

The pre-activated Net2 series of readers with Genuine HID Technology[™] come pre-enabled with HID[™] 125kHz Proximity out of the box. HID™ license activation is not required. These readers can also include an optional HID™ Wiegand output with a separate purchase of a Wiegand activation card.





Net2 Proximity Readers with Genuine HID Technology™

P38

Sales code 400-130-US



Mullion

Sales code 400-150-US



P75

Sales code





Proximity Keypad KP50 with Genuine HID Technology™

Sales code 400-250-US





Proximity Keypad KP75 with Genuine HID Technology™

Sales code 400-275-US





Proximity Marine Reader with Genuine HID Technology™

Sales code





Proximity Architectural Reader Satin Chrome with Genuine HID Technology™

Sales code 400-195SC-US



Insert also required - see p.12



Proximity Architectural Reader Gun Metal Grey with Genuine HID Technology™

Sales code 400-195GG-US



Insert also required - see p.12









★ Indicates readers that have functionality to read HID™ 125kHz Proximity tokens, using Genuine HID Technology™ 125kHz. This is enabled using Genuine HID Technology™ Proximity activation licence cards or Wiegand activation licence cards (if the reader needs to provide a Wiegand output), both sold separately (see Tokens section, pg.,



Net2 Readers

These readers are for use with Net2. Designed to fit in seamlessly in any environment, our wide range means you get the right choice for your site requirements.



PROXIMITY P38 reader

Sales code

333-110-US



Proximity P50 Mullion reader Sales code

345-220-US



BEST SELLER

PROXIMITY P50 MIFARE® reader

Sales code

353-467-US



PROXIMITY P75 reader Sales code 373-110-US





PROXIMITY P200 reader

Sales code 323-110-US



PROXIMITY P200 reader - Metal mount

Sales code 324-110-US





PROXIMITY metal reader, satin chrome

BEST SELLER

Sales code 390-747-US





PROXIMITY metal reader, chrome


Sales code 390-727-US





PROXIMITY vandal proof reader

Sales code 568-855-US





PROXIMITY panel mount reader

Sales code 390-135-US





PROXIMITY marine reader

Sales code 500-010-US





Energy saving reader

Sales code 595-248-US





PROXIMITY architectural reader, gunmetal grey

Sales code 360-864GG-US





Insert - stone Sales code 361-002-US





Insert - glass with logo Sales code 361-003-US





PROXIMITY architectural reader, satin chrome

Sales code 360-864SC-US





Vandal resistant metal keypad

Sales code 521-715-US





Long range reader

Sales code 313-110-US





CARDLOCK reader, satin chrome













Sales code

409-711SC-US







PROXIMITY KP50 keypad

Sales code 355-110-US





PROXIMITY KP75 keypad

Sales code 375-110-US





TOUCHLOCK K50 keypad

Sales code 351-110-US





TOUCHLOCK K75 keypad

Sales code 371-110-US





TOUCHLOCK K50 stainless steel keypad

Sales code 352-110-US





TOUCHLOCK K75 stainless steel keypad

Sales code 372-110-US






Proximity metal keypad, MIFARE® -KP75

Sales code 375-130-US



Net2 Tokens

These tokens are for use with Net2 systems.























Net2 hands free keyfob

Sales code 690-222-US





Net2 hands free keycard

Sales code 690-333-US



Genuine HID Technology™ License Activation Cards

125Khz ISO Proximity Card Licence x 1 with Genuine HID Technology™



Sales code

Wiegand Activation Card with Genuine HID Technology™



Sales code 125-201-US

Genuine HID Technology $^{\text{TM}}$ 125kHz Proximity activation license cards and Wiegand activation license cards are for use with Net2 readers indicated with the symbol $\frac{1}{2}$ (from pg. 11) to activate functionality to read HID™ 125kHz Proximity or HID™ Wiegand tokens.







Net2 Software

Net2 Pro has all the capabilities of Net2 Lite software with advanced features like timesheet and timeline, Landlord Tenant, security lockdown and anti-passback. Net2 Pro also includes a number of new features to support COVIDsecure sites.

Net2 Lite contains all of the access control features to manage access privileges and report on users. Other features include multiple workstations, CCTV and intruder alarm integration and site graphics.

Feature	Lite	Pro
Multiple clients	•	•
Free upgrades	•	•
CCTV integration	•	•
Site graphics	•	•
Triggers and actions	•	•
Intruder alarm integration*	•	•
Entry compatible	•	•
Biometric integration	•	•
Card designer	•	•
Timesheet & Timeline*	•	•
Landlord/Tenant		•
Roll call and muster reporting*		•
Fire alarm integration*		•
Anti-passback*		•
Security lockdown*		•
Multi-zone intruder alarm integration*		•
Custom days*		•
Areas		•
Customizable welcome page		•
Paxton Connect app**		•
Net2Online***		•
Checkpoint Control		•
Occupancy Management		•



^{**} Paxton Connect app only works with Net2 Pro v6.00 or above

Watch our tutorial videos and learn how you can get the very best from the Net2 software and offer your customers more from their access control system.

http://paxton.info/3142





Net2 Pro Software

Sales code 930-010-US



Net2 Software - Lite **Download only**



Net2Online and Paxton Connect

Easy access to your Net2 system wherever you are – any location, any device. Flexible site management via a browser with Net2Online and from the Paxton Connect app.

Features include:

- User admin
- Viewing reports and events
- Managing roll call reports
- Free with Net2 Pro
- Open door functionality

Download the app now:













^{***} Net2Online only works with Net2 Pro v6.01 or above

Net2 Accessories & Other Components



Net2 desktop reader, USB

Sales code 514-326-US





Net2 desktop reader, proximity and magstripe USB

Sales code 350-910-US





Desktop reader with Keyboard Output, USB

Sales code 214-326-US





US Metal Enclosure Only

Sales code 857-600-US





12/24V DC 2.5A power supply in metal cabinet

Sales code





PoE+ power supply in metal cabinet

Sales code



★514-326-US has functionality to read HID™ 125kHz Proximity tokens, using Genuine HID Technology™ 125kHz. This is enabled using Genuine HID Technology™ Proximity activation licence cards (pg.16)



Single port midspan 802.3at PoE injector

Sales code 477-400-US





Exit button marine

Sales code 593-721-US





Exit button E50

Sales code 356-310-US





Exit button E75

Sales code 376-310-US





Hands free card holders with suckers, pack of 5

Sales code 696-100-US





ISO card holder, clear, pack of 5

Sales code 696-400-US















Net2 demo board - Net2 plus

Sales code 121-005-US



Demo case

Net2 PaxLock US

The case Includes a Net2 PaxLock with override keys, Net2 Pro software, Net2 desktop reader and a Net2Air bridge.

Sales code 921-999-US

* one demo case per customer



Demo case

Net2 Plus

The case includes a Net2 plus, Net2 Pro software, Net2 desktop reader and a sample pack of Net2 demonstration tokens.

Sales code 541-427-US

* one demo case per customer









Notes













- ▶ Manage multiple sites on a single system from anywhere with an internet connection
- ▶ Web-based user interface with no configuration required
- ▶ A variety of cameras available as well as being compatible with third-party IP video cameras.
- ▶ Custom dashboards to suit any user requirements
- Built in Bluetooth® to use phone or smartwatch smart credentials.
- ▶ Works seamlessly with Entry and PaxLock Pro


Paxton 10

Access Control and Video Management

Paxton10

Access control. Video management. One system

- ▶ Single door controller architecture for ease of install and flexibility
- ▶ Feature rich video management solution embedded in the cameras, no third-party integration required
- ▶ Built-in Bluetooth® wireless technology, supports free of charge smart credentials
- Fully compatible with Entry, our award-winning video and audio door entry solution
- Fully compatible with PaxLock Pro, our wireless door handle line
- Distributed intelligence to increase reliability
- ▶ Powerful multiformat readers and keypad, reads Paxton, MIFARE®, HID™ Prox, EM, FeliCa, NFC and DESFire token technology





Paxton10 Door Controller

Sales code 010-403-US





Paxton10 Door Controller - Plastic Enclosure

Sales code 010-315-US





Paxton10 Door Controller - 12/24V 2A PSU

Sales code





Paxton10 Video Controller - 12/24V 4A PSU

Sales code 010-803-US





Paxton10 Door Controller - PoE+ PSU

Sales code 010-495-US





Paxton10 Video Controller - PoE+ PSU

Sales code 010-304-US


















Paxton10 integrates with fire and intruder alarms to simplify building management.



Paxton10 Alarm Connector

Sales code 010-203-US





Paxton10 Server

Sales code 003-375-US



The Paxton10 Server is an Intel manufactured product and is therefore not covered by the Paxton 5-year guarantee. Paxton supports a 3-year warranty for this product, as supplied by Intel.

The Paxton10 Server comes in two variants, manufactured by Intel and Lenovo. The product you receive will depend on current stock availability.



Paxton10 Reader Converter

Sales code 010-552-US





Paxton10 Wireless Connector

Sales code 010-592-US

See page 34 for relevant PaxLock Pro products.





Paxton10 Desktop Reader

Sales code 010-387-US



Paxton10 Cameras

Paxton10 includes Paxton's own video management solution and range of CORE & PRO cameras, providing a single point of management for system users. A Paxton10 system can manage up to 1000 cameras including integration with third party IP

- Industry leading low light performance (0.003 Lux)
- IP67 rated for internal and external use*
- IK10 rated robust metal construction**
- Edge and centralized recording capability
- Simple configuration

*010-924 is IP66 rated

**010-102 and 010-924 only

Paxton10 cameras come with a 256GB SD card (PRO Series) or 64GB SD card (CORE Series) as standard. Please note, the SD card is a consumable item and is therefore excluded from the guarantee.



NEW

High performance PRO series:

- ▶ 256GB surveillance quality on camera storage
- ▶ 8MP 4K resolution for crystal clear recording



NEW

High value CORE series:

- ▶ 64GB of in-built edge storage
- ▶ 4MP resolution














Paxton10 Mini Bullet Camera - PRO Series

Sales code 010-158-US





Paxton10 Mini Bullet Camera - CORE Series


Sales code 010-911-US





Paxton10 Vari-Focal Bullet Camera - PRO Series

Sales code





Paxton10 Mini Dome Camera - CORE Series

Sales code 010-102-US





Paxton10 Turret Camera - PRO Series

Sales code 010-480-US





Paxton10 Turret Camera – **CORE Series**

Sales code 010-705-US





Paxton10 Mini Bullet Camera Junction Box

Sales code 010-373-US





Paxton10 Mini Dome Camera Junction Box

Sales code 010-799-US





Paxton10 Turret Camera Junction Box

Sales code 010-445-US





Paxton10 Reader Keypad

Sales code 010-721-US





Paxton10 Keyfobs -Pack of 10

Sales code 010-170-US





Paxton10 Vandal Resistant Reader

Sales code 010-254-US





Paxton10 Bluetooth® Hands Free Keyfob


Sales code 010-690-US





Paxton10 Slimline Reader

Sales code 010-296-US





Paxton10 Cards-Pack of 10

Sales code 010-427-US







Paxton10 Software & Apps

Access Control and Video Management







Paxton Connect

Paxton Key App

Paxton10 Software

A web-based user interface that is intuitive and easy to use.

Accessible from any device with an internet connection, the interface makes remote site management simple. The software comes as a native part of the system with a Paxton10 server. It has a range of intelligent features to maximise efficiency and optimize the combined access and video management solution

- ▶ Web-based software no installation, plug-ins or upgrading required
- Free of charge simple online updates with no ongoing charges
- Suitable for touchscreen and desktop devices
- Optimised for use on PCs and tablets
- Low battery alerts, easy to monitor back up battery state
- Flexible and secure remote access

Features:

Dashboards - Customized dashboards to suit any user requirements

Reports - Powerful reporting engine where all system events and videos can be reviewed

Site plans - For the visual management of the system

Tutorial wizards - Support new and existing users to make full use of the software

People - Manage user permissions, credentials and information

Rules - Set permissions, time profiles, triggers and actions and much more

Devices - Configure and manage the devices in a building

Paxton10 Apps

Paxton Connect

Flexible site management

The Paxton Connect app provides easy and flexible site management for Paxton10. Containing easy to use features in one smart user interface, Paxton Connect enables you and your customers to manage multiple sites remotely from a smartphone.

Features:

People - Manage user permission, credentials and information

Reports - Access all system reports from your smart device or tablet

Devices - Configure and manage all devices on site

Dashboards - Access custom dashboards for personalized system overview

Paxton Key

Utilize smart devices as access tokens

The Paxton Key app allows system users to make use of their smartphone, smartwatch or tablet in place of traditional tokens. These are called smart credentials and can be issued free of charge. Utilizing the built-in Bluetooth® wireless technology in Paxton10 readers, the smart device can securely communicate with the Paxton10 system to grant or deny access. Paxton Key also enables the user to carry out predefined building management functionality – such as setting the intruder alarm.


Download the free apps from the App Store or Google Play











Entry

A smart, simple video intercom system.

- ▶ Panels available in three variants: the Entry Touch panel with an advanced 7-inch color touch screen, Entry Standard panel in anthracite grey and the Entry VR panel in super durable stainless steel
- All variants available in flush, surface and rain-hood versions - suitable for a range of environments
- ▶ Three monitors available, including premium, standard and audio, to create a custom solution for any site
- Personalize the Entry Touch panel, premium monitor and Standard monitor with multiple theme options and contact images for quick visual recognition
- ▶ Video voicemail, enables visitors to leave a video message
- Add a secondary IP camera for higher security sites
- Reads Paxton and MIFARE® token technology









★ Indicates readers that have functionality to read HID™ 125kHz Proximity when enabled using Genuine HID Technology™ 125kHz. Proximity activation license cards, sold separately (see Tokens section, pg.15).







Sales code 337-620-US







Sales code 337-600-US





Entry - Touch panel, surface mount with rain hood

Sales code 337-610-US







Entry

Video Intercom





Entry - VR panel, surface mount

Sales code 337-520-US





Entry - Standard panel, surface mount

Sales code 337-420-US







Entry - VR panel, flush mount

Sales code 337-500-US





Entry - Standard panel, flush mount

Sales code 337-400-US







Entry - VR panel, surface mount with rain hood

Sales code 337-510-US





Entry - Standard panel, surface mount with rain hood

Sales code 337-410-US





Entry Premium monitor

Sales code 337-290-US





Entry Premium monitor - with handset

Sales code 337-292-US





Entry monitor - desktop stand



Sales code 337-294-US













Entry Standard monitor

Sales code 337-280-US





Entry Standard monitor with handset

Sales code 337-282-US





Entry Audio monitor

Sales code 337-270-US





Entry Audio monitor - handset

Sales code 337-272-US





Net2 Entry - Control unit

Sales code 337-727-US





Entry - Extension switch

Sales code 337-773-US



Entry Standard Monitor

The latest addition to our video intercom range.

Introducing the next generation standard monitor, a versatile, feature rich and cost-effective solution.

- Excellent audio quality, full-duplex voice communication & easy read, high contrast screen
- Personalized experience with 14 theme designs. Premium user interface with call & event log
- Action buttons, call snapshot and compatibility with concierge management*
- Available with or without a handset. Universal wall or desk mounting
- Quick and easy installation, providing a true plug and play solution



*When used with the Entry Premium monitor. The standard monitor cannot function as the concierge monitor.

Demo Cases

Video Intercom

Demo Cases

Demo cases contain everything you need to demonstrate a one door system.

Additionally, show your customers the benefits of our simple video intercom solution in just two minutes, with the Entry video. Watch it here: http://paxton.info/3143

★ Indicates readers that have functionality to read HID™ 125kHz Proximity when enabled using Genuine HID Technology™ 125kHz. Proximity activation license cards, sold separately (see Tokens section, pg.15).



Demo case *

Entry - Touch panel

The case includes an Entry Touch panel, Entry Premium monitor and a sample pack of Net2 demonstration tokens.

Sales code 337-635-US



Demo case * **Entry - Standard panel**

The case includes an Entry Standard panel, Entry Standard monitor and a sample pack of Net2 demonstration tokens.

Sales code 337-430-US












Entry - Standalone Mode

Video Intercom



Entry now works Standalone

Our standalone access control is a non-networked system that provides a simple and low maintenance solution made up of readers or door controllers.

- · Quick system installation with no servers or PCs required
- Simple user management
- Combine with other Paxton standalone products
- Build an entire easy-to-use system supporting the same tokens across the site
- Easily expand and upgrade to an online Net2 solution with no hidden costs
- · Enable offline token-based access control on any Entry site



We also have standalone colored keyfobs and function cards to make it even simpler to manage access control within the system

Watch the Entry Video



Show your customers the benefits of our simple video intercom solution in just two minutes, with the Entry video.

- ▶ Featuring the whole Entry range, including the touch panel and premium monitor
- Just 3 components that auto-detect on set up
- Discover a scalable solution that suits a variety of locations

Watch it here:

http://paxton.info/3143





PaxLock Pro

Wireless Door Handles

PaxLock Pro Wireless Controller

- PaxLock Pro Mortise & PaxLock Pro -Latch versions available
- Standalone or networked
- Simple upgrade path from standalone to networked
- Dual-frequency proximity reader
- **UL294 Certified**
- UL10C Certified** for fire doors
- Tested to ANSI 156.25**





Example PaxLock Pro with a Net2 system



PaxLock Pro - Mortise, Galaxy

PaxLock Pro - Mortise, Eclipse

White

Black

Sales code

900-640WT-US White

Sales code

Sales code

Sales code

900-650WT-US

900-650BL-US

900-640BL-US Black



PaxLock Pro - Latch, Galaxy

Sales code

900-620WT-US White

Sales code

900-620BL-US Black

PaxLock Pro - Latch, Eclipse

Sales code

900-630WT-US White

Sales code

900-630BL-US Black

Please note: The PaxLock Pro – Mortise lockset provides key override functionality to ensure access can be gained in the rare event of a unit failure.







^{**} PaxLock Pro - Mortise only

Wireless Door Handles


PaxLock Pro Components

These products may be used with PaxLock Pro to aid installation on a variety of doors.



PaxLock Pro – Latchbolt Mortise lock

Sales code 901-053-US



PaxLock Pro - Mortise, 2" door kit Sales code 900-061-US




PaxLock Pro - Mortise, 2-1/4" door kit Sales code 900-062-US



Sales code

PaxLock Pro - Deadbolt Mortise lock



PaxLock Pro - Latch, 2" door kit





901-054-US





PaxLock Pro - 1/2" Mortise lock cylinder

Sales code 901-058-US









Wireless Door Handles



PaxLock Pro - Mortise door installation jig

Sales code 900-081-US



PaxLock Pro - Latch door installation jig

Sales code 900-080-US



Net2Air Bridge

Sales code 477-600-US





Paxton10 Wireless Connector

Sales code 010-687-US



Demo case PaxLock Pro

The demo case comes with everything you need to show your customers the PaxLock Pro options in action.

- ▶ 2 x Demo Stands with PaxLock Pro Mortise and Latch options
- Standalone Token pack (x2 Tokens)
- Batteries


Sales code 900-695-US





Switch2

Switch2 is a standalone system that comes as a separate single door controller and reader. The door controller is fitted on the secure side of the door, with the reader fitted on the other side. Switch2 offers a secure solution for customers wishing to control door access, who do not need the reports on users' movements provided by a PC based access control system.





Switch2 control unit

Sales code 405-321-US





Switch2 ACU and 1A PSU in plastic housing

Sales code 242-166-US



Entry

Our video intercom system works in standalone mode for a quick, simple installation and easy user management with our standard enrolment and shadow cards. Offer a flexible system that can grow in line with your customers' requirements and be upgraded to work with Net2 or Paxton10, with no hidden costs.

See page 33 for more information

PaxLock Pro

PaxLock Pro is our wireless access control solution in a battery operated door handle. It can be installed in standalone mode for use on sites not requiring the additional functionality of an online system. It's flexible upgrade path from standalone to networked creates a solution which can evolve with the needs of vour customer.

See page 35 for more information







Switch2 Readers

These readers are for use with Switch2. Designed to fit in seamlessly in any environment, our wide range means you get the right choice for your site requirements.



PROXIMITY P38 reader

Sales code 333-110-US



Proximity P50 Mullion reader Sales code 345-220-US



PROXIMITY P75 reader Sales code 373-110-US





PROXIMITY P200 reader

Sales code





PROXIMITY P200 reader - Metal mount

Sales code





PROXIMITY metal reader, satin chrome

Sales code 390-747-US





PROXIMITY metal reader, chrome

Sales code 390-727-US















PROXIMITY vandal proof reader





PROXIMITY panel mount reader

Sales code 390-135-US





PROXIMITY marine reader

Sales code 500-010-US





Energy saving reader

Sales code 595-248-US





Long range reader

Sales code 313-110-US





CARDLOCK reader, satin chrome

Sales code 409-711SC-US





PROXIMITY architectural reader, Gunmetal grey

Sales code 360-864GG-US





Insert - Stone Sales code 361-002-US





Insert - Glass with logo Sales code 361-003-US





PROXIMITY architectural reader, satin chrome

Sales code 360-864SC-US





PROXIMITY KP50 keypad

Sales code 355-110-US





PROXIMITY KP75 keypad

Sales code 375-110-US





TOUCHLOCK K50 keypad

Sales code 351-110-US





TOUCHLOCK K75 keypad

Sales code 371-110-US





TOUCHLOCK K50 stainless steel keypad

Sales code 352-110-US





TOUCHLOCK K75 stainless steel keypad

Sales code 372-110-US





Vandal resistant metal keypad

Sales code 521-715-US








Compact

Compact is a standalone solution where all the electronics are housed within the reader. Compact is suitable for low security internal doors requiring a costeffective solution.





PROXIMITY P38 compact reader Sales code 333-210-US PROXIMITY P50 compact reader Sales code 353-210-US PROXIMITY P75 compact reader Sales code 373-210-US



PROXIMITY compact vandal proof reader

Sales code 326-735-US





Vandal resistant compact metal keypad

Sales code 521-836-US





TOUCHLOCK K50 compact keypad

Sales code 351-210-US





TOUCHLOCK K75 compact keypad

Sales code 371-210-US





TOUCHLOCK K50 stainless steel compact keypad

Sales code 352-210-US





TOUCHLOCK K75 stainless steel compact keypad

Sales code 372-210-US









Standalone Tokens

These tokens are for use with Switch2 and Compact systems..



PROXIMITY 10 keyfob pack - Green, Amber or Red

Sales code 820-010G/A/R-US

PROXIMITY 50 keyfob pack - Green, Amber or Red Sales code 820-050G/A/R-US



PROXIMITY 10 card pack - Green, Amber or Red

Sales code 830-010G/A/R-US

PROXIMITY 50 card pack - Green, Amber or Red Sales code 830-050G/A/R-US



10 hands free keyfob pack for Switch2, green

Sales code 860-010G-US



Proximity function card pack

Sales code 820-000-US



Standalone Accessories

These accessories are for use with Switch2 and Compact systems.



Exit button E50

Sales code 356-310-US





Exit button E75

Sales code 376-310-US





Exit button marine

Sales code 593-721-US





Hands free interface in plastic housing

Sales code 477-222-US





US Metal Enclosure Only

Sales code





PoE+ power supply in metal cabinet

Sales code 857-630-US





12/24V DC 2.5A power supply in metal cabinet

Sales code 857-610-US











ISO card holder, clear, pack of 5



Sales code 696-400-US





Hands free card holders with suckers, pack of 5

Sales code 696-100-US



Additional Information

Dealer training

We offer practical hands-on training for our Net2 system. The BICSI CEC registered program is designed to provide you with the essential knowledge needed to install Paxton products.

- Ensure accurate installation
- Reduce time on site
- Courses are free of charge
- Materials and equipment provided

For more information and to book a session, go to http://paxton.info/3139.



Industry leading technical support

Call Paxton and you will be put straight through to our expert support team. Our friendly team is available from 2am-8pm EST Monday-Friday.

Call: 877.438.7298

E-mail: supportUS@paxton-access.com

Skype: USApaxton.support



Sales literature

We offer an extensive range of brochures and sales guides to support you every step of the way, from sales to specification. All documentation is available to download from our website at http://paxton.info/1549.

Case studies

Find out how the Net2 system can be adapted to meet a range of diverse requirements by reading our latest case studies. We have a range of examples covering education, healthcare, retail, leisure, commercial and public buildings.

See our latest case studies here:

http://paxton.info/3140

Net2 integration

Integration We want to ensure that we are providing the most sophisticated solutions available. We do this by working with quality manufacturers to provide the best of breed solutions and making them available to you. You can see a map of our Net2 integration partners at http://paxton.info/2958.

Sign up to our newsletter

The Paxton Installer is your regular newsletter, containing the latest news, product information and updates from us. Your copy of the Paxton Installer will arrive in your inbox, full of useful information that will make your job easier and help you to win more business.

Sign up now:

http://paxton.info/3141





Approved







Notes

Notes











Notes







Paxton 5 year warranty and hassle free returns policy

We offer a five year guarantee on all our products.

If a problem arises, all you have to do is return your Paxton product to your local distributor.

We want to make life as easy as possible for installers of Paxton products. Our five year warranty and hassle-free returns policy helps us to do this successfully.









138 Commerce Center Greenville SC 29615 USA

1 877.438.7298

MIFARE® is a registered trademark of NXP B.V. and is used under license.

 $The \ Genuine \ HID \ Technology \ logo \ is \ a \ trademark \ of \ HID \ Global \ Corporation/ASSA \ ABLOY \ AB. \ Used \ with \ permission.$ All information and specifications correct at the point of publication, but may be subject to change without notice. All pictures shown are for illustration purpose only. Actual products may vary.



Please recycle responsibly. This guide can be viewed digitally on our website.

2023 v2

Feb 2023

ibp-psa-US

